

## **PUBLIC NOTICE**

### **CONSUMER ALERT DURING WATER OUTAGES OR PERIODS OF LOW PRESSURE CAUSED BY ROLLING POWER OUTAGES**

1. If you are experiencing water outages or low water pressure, immediately discontinue any non-essential water usage. This includes all outdoor irrigation and car washing. Minimizing usage will reduce the potential for the water system to lose pressure or completely run out of water. Please notify your water system of the outage or low pressure.
2. If the water looks cloudy or dirty, you should not drink it. Upon return of normal water service, you should flush the hot and cold water lines until the water appears clear and the water quality returns to normal.
3. If you are concerned about the water quality or are uncertain of its safety, you may add eight drops of household bleach to one gallon of water and let it sit for 30 minutes or alternatively, if you are able, water can be boiled for one minute at a rolling boil to ensure its safety.
4. Use of home treatment devices does not guarantee the water supply is safe after low pressure situations.
5. Do not be alarmed if you experience higher than normal chlorine concentrations in your water supply since the California Department of Health Services is advising public water utilities to increase chlorine residuals in areas subject to low pressure or outages.
6. The California Department of Health Services has also advised public water systems to increase the bacteriological water quality monitoring of the distribution system in areas subject to low pressure. They may be collecting samples in your area to confirm that the water remains safe. You will be advised if the sampling reveals a water quality problem.
7. Your water system is committed to make certain that an adequate quantity of clean, wholesome, and potable water is delivered to you. We recommend that you discuss the information in this notice with members of your family to ensure that all family members are prepared should water outages or low water pressure occur.